


**Gas Leak Detector - Mid Temp****SECTION 1: IDENTIFICATION**

- 1.1 Product identifier:** Gas Leak Detector - Mid Temp  
**Other means of identification:**  
23008, 23032, 23128
- 1.2 Recommended use of the chemical and restrictions on use:**  
**Application of the substance / the preparation** Leak detection fluid  
Uses advised against: All uses not specified in this section or in section 7.3
- 1.3 Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party:**  
Highside Chemicals, Inc.  
11114 Reichold Rd.  
39503 Gulfport - Mississippi - United States  
Phone: 228-896-9220, 800-359-5599
- 1.4 Emergency phone number:** ChemTel Inc. (800)255-3924, +1 (813)248-0585

**SECTION 2: HAZARDS IDENTIFICATION**

- 2.1 Classification of the substance or mixture:**  
**NFPA:**  
Health Hazards: 0  
Flammability Hazards: 0  
Instability Hazards: 0  
Special Hazards: Not applicable (N/A)  
**In Accordance With: 29 CFR 1910.1200:**  
While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.  
**In Accordance With: CLP Regulation (EC) No 1272/2008:**  
The product is not classified as hazardous according to CLP Regulation (EC) No 1272/2008.  
**In Accordance With: WHMIS 2015:**  
The product is not classified as dangerous according to Part 2 of Hazardous Products Regulations (SOR/2015-17)
- 2.2 Label elements:**  
**NFPA:**  
  
**In Accordance With: 29 CFR 1910.1200 / CLP Regulation (EC) No 1272/2008 / WHMIS 2015**  
**No Labeling Required**  
**Hazard statements:**  
Non-applicable  
**Precautionary statements:**  
Non-applicable  
**Supplementary information:**  
EUH210: Safety data sheet available on request.
- 2.3 Hazards not otherwise classified (HHNOC - PHNOC):**  
**In Accordance With: 29 CFR 1910.1200 / WHMIS 2015**  
Not applicable (N/A)  
**In Accordance With: COMMISSION REGULATION (EU) 2020/878**  
Product fails to meet PBT/vPvB criteria  
The product contains substances with endocrine-disrupting properties: 4-Nonylphenol, branched, ethoxylated

- CONTINUED ON NEXT PAGE -

### Gas Leak Detector - Mid Temp

#### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

##### 3.1 Substances:

Non-applicable




##### 3.2 Mixtures:

**In Accordance With: 29 CFR 1910.1200**

**Chemical description:** Mixture composed of chemical products

##### Components:



Remaining components are non-hazardous and/or present at amounts below reportable limits. The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200. Therefore, in accordance with Appendix D to § 1910.1200, the product contains:

Identification	Chemical name/Classification	Concentration
CAS: 127087-87-0	<b>4-Nonylphenol, branched, ethoxylated</b> Acute Tox. 4: H302; Eye Irrit. 2A: H319 - Warning	 1 - <2.5 %
CAS: 68603-42-9	<b>Amides, coco, N,N-bis(hydroxyethyl)</b> Carc. 2: H351; Eye Irrit. 2A: H319; Skin Irrit. 2: H315 - Warning	 1 - <2.5 %
CAS: 111-42-2	<b>2,2'-iminodiethanol</b> Acute Tox. 4: H302; Carc. 2: H351; Eye Dam. 1: H318; Skin Irrit. 2: H315; STOT RE 2: H373 - Danger	 <1 %

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

##### In Accordance With: COMMISSION REGULATION (EU) 2020/878

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:




Identification	Chemical name/Classification	Concentration
CAS: 127087-87-0 EC: 500-315-8 Index: Non-applicable REACH: 01-2120228887-42-XXXX	<b>4-Nonylphenol, branched, ethoxylated</b> <sup>(1)</sup> Regulation 1272/2008 Acute Tox. 4: H302; Aquatic Chronic 3: H412; Eye Irrit. 2: H319 - Warning	Self-classified  1 - <2.5 %
CAS: 68603-42-9 EC: 271-657-0 Index: Non-applicable REACH: Non-applicable	<b>Amides, coco, N,N-bis(hydroxyethyl)</b> <sup>(1)</sup> Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Warning	Self-classified  1 - <2.5 %

<sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

##### In Accordance With: WHMIS 2015

In accordance with Schedule I of the Hazardous Products Regulations (SOR/2015-17), the product contains:

Identification	Chemical name/Classification	Concentration
CAS: 127087-87-0	<b>4-Nonylphenol, branched, ethoxylated</b> Acute Tox. 4: H302; Eye Irrit. 2: H319 - Warning	 1 - <5 %
CAS: 68603-42-9	<b>Amides, coco, N,N-bis(hydroxyethyl)</b> Carc. 2: H351; Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Warning	 1 - <5 %
CAS: 111-42-2	<b>2,2'-iminodiethanol</b> Acute Tox. 4: H302; Carc. 2: H351; Eye Dam. 1: H318; Skin Irrit. 2: H315; STOT RE 2: H373 - Danger	 <1 %

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

**Gas Leak Detector - Mid Temp****SECTION 4: FIRST-AID MEASURES****4.1 Description of necessary measures:**

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

**By inhalation:**

This product is not classified as hazardous through inhalation, however, it is recommended in case of intoxication symptoms to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

**By skin contact:**

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or shower the person affected if necessary thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

**By eye contact:**

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

**By ingestion/aspiration:**

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

**4.2 Most important symptoms/effects, acute and delayed:**

Acute and delayed effects are indicated in sections 2 and 11.

**4.3 Indication of immediate medical attention and special treatment needed, if necessary:**

Not applicable (N/A)

**SECTION 5: FIREFIGHTING MEASURES****5.1 Extinguishing media:****Suitable extinguishing media:**

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

**Unsuitable extinguishing media:**

Non-applicable

**5.2 Special hazards arising from the substance or mixture:**

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

**5.3 Advice for firefighters:**

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

**Additional provisions:****In Accordance With: 29 CFR 1910.1200**

As in any fire, prevent human exposure to fire, smoke, fumes or products of combustion. Only properly trained personnel should be involved in firefighting. Evacuate nonessential personnel from the fire area. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

**In Accordance With: COMMISSION REGULATION (EU) 2020/878 / WHMIS 2015**

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

- CONTINUED ON NEXT PAGE -

**Gas Leak Detector - Mid Temp****SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1 Personal precautions, protective equipment and emergency procedures:****For non-emergency personnel:**

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilled product (See section 8). Evacuate the area and keep out those who do not have protection.

**For emergency responders:**

Wear protective equipment. Keep unprotected persons away. See section 8.

**6.2 Environmental precautions:**

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

**6.3 Methods and materials for containment and cleaning up:****In Accordance With: 29 CFR 1910.1200**

For accidental releases in excess of reportable quantities (RQ) (Table 302.4), refer to 40 CFR 302 for detailed instructions concerning reporting requirements and notify the National Response Center (800) 424-8802.

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

**In Accordance With: COMMISSION REGULATION (EU) 2020/878 / WHMIS 2015**

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

**6.4 Reference to other sections:**

See sections 8 and 13.

**SECTION 7: HANDLING AND STORAGE****7.1 Precautions for safe handling:****A.- General precautions for safe use**

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

**B.- Technical recommendations for the prevention of fires and explosions**

Product is non-flammable under normal conditions of storage, manipulation and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

**C.- Technical recommendations on general occupational hygiene**

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

**D.- Technical recommendations to prevent environmental risks**

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

**7.2 Conditions for safe storage, including any incompatibilities: In Accordance With: 29 CFR 1910.1200****A.- Technical measures for storage**

Minimum Temp.: 41 °F

Maximum Temp.: 86 °F

Maximum time: 6 Months

**B.- General conditions for storage**

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

- CONTINUED ON NEXT PAGE -

### Gas Leak Detector - Mid Temp

#### SECTION 7: HANDLING AND STORAGE (continued)

##### 7.2 Conditions for safe storage, including any incompatibilities:

###### In Accordance With: COMMISSION REGULATION (EU) 2020/878 / WHMIS 2015

###### A.- Technical measures for storage

Minimum Temp.:	5 °C
Maximum Temp.:	30 °C
Maximum time:	6 Months

###### B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

##### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

##### 8.1 Control parameters: In Accordance With: 29 CFR 1910.1200

Substances whose occupational exposure limits have to be monitored in the workplace:

###### US. ACGIH Threshold Limit Values (2022):

Identification	Occupational exposure limits	
	2,2'-iminodiethanol CAS: 111-42-2	TLV-TWA
	TLV-STEL	

###### CALIFORNIA- TABLE AC-1 PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS:

Identification	Occupational exposure limits	
	2,2'-iminodiethanol CAS: 111-42-2	PEL
	STEL	2 mg/m <sup>3</sup>

##### Control parameters: In Accordance With: WHMIS 2015

Substances whose occupational exposure limits have to be monitored in the workplace:

###### British Columbia - Occupational Health and Safety Regulation section 5.48 (Updated March 1, 2022):

Identification	Occupational exposure limits	
	2,2'-iminodiethanol CAS: 111-42-2	TLV-TWA
	TLV-STEL	

###### ALBERTA - Occupational Health and Safety Code:

Identification	Occupational exposure limits	
	2,2'-iminodiethanol CAS: 111-42-2	8-hour
	15-minute	

##### Control parameters: In Accordance With: COMMISSION REGULATION (EU) 2020/878

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

##### DNEL (Workers):

Non-applicable

##### DNEL (General population):

Non-applicable

##### PNEC:

Non-applicable

- CONTINUED ON NEXT PAGE -

### Gas Leak Detector - Mid Temp

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

#### 8.2 Appropriate engineering controls / Exposure Controls:


##### A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protection Equipment (where applicable with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425). For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation, the information on clothing performance must be combined with professional judgment, and a clear understanding of the clothing application, to provide the best protection to the worker. All chemical protective clothing use must be based on a hazard assessment to determine the risks for exposure to chemicals and other hazards. Conduct hazard assessments in accordance with 29 CFR 1910.132.

##### B.- Respiratory protection



The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

##### C.- Specific protection for the hands **In Accordance With: 29 CFR 1910.1200 / WHMIS 2015**

Pictogram	PPE	Remarks
 Mandatory hand protection	Protective gloves against minor risks	Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional /industrial users, we recommend using chemical protection gloves. Use gloves in accordance with manufacturer's use limitations and OSHA standard 1910.138 (29CFR)


As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

##### **In Accordance With: COMMISSION REGULATION (EU) 2020/878**



Pictogram	PPE	Labelling	CEN Standard	Remarks
 Mandatory hand protection	Protective gloves against minor risks			Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+A1:2010 and EN ISO 374-1:2016+A1:2018

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

##### D.- Eye and face protection **In Accordance With: 29 CFR 1910.1200 / WHMIS 2015**

Pictogram	PPE	Remarks
 Mandatory face protection	Panoramic glasses against splash/projections.	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. Use this PPE in accordance with manufacturer's use limitations and OSHA standard 1910.133 (29CFR)

##### **In Accordance With: COMMISSION REGULATION (EU) 2020/878**

Pictogram	PPE	Labelling	CEN Standard	Remarks
 Mandatory face protection	Panoramic glasses against splash/projections.		EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

- CONTINUED ON NEXT PAGE -



**Gas Leak Detector - Mid Temp**

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)**



**E.- Bodily protection In Accordance With: 29 CFR 1910.1200 / WHMIS 2015**

Pictogram	PPE	Remarks
	Work clothing	Replace before any evidence of deterioration.
	Anti-slip work shoes	Replace before any evidence of deterioration.

**In Accordance With: COMMISSION REGULATION (EU) 2020/878**

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing			Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes		EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007

**F.- Additional emergency measures**

Emergency measure	Standards	Emergency measure	Standards
 Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	 Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

**Environmental exposure controls:**

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

**40 CFR Part 59 (VOC):**

V.O.C.(weight-percent): 0.39 % weight  
 V.O.C. at 68 °F: 68.4 kg/m<sup>3</sup> (68.4 g/L)

**California Air Resources Board (CARB) - VOC Regulatory:**

V.O.C.(weight-percent): 0.39 % weight  
 V.O.C. at 68 °F: 68.4 kg/m<sup>3</sup> (68.4 g/L)

**South Coast Air Quality Management District (AQMD) - VOC Regulatory:**

V.O.C.(weight-percent): 0.39 % weight  
 V.O.C. at 68 °F: 68.4 kg/m<sup>3</sup> (68.4 g/L)

**Ozone Transport Commission (OTC) Rules - VOC Regulatory:**

V.O.C.(weight-percent): 0.39 % weight  
 V.O.C. at 68 °F: 68.4 kg/m<sup>3</sup> (68.4 g/L)

- CONTINUED ON NEXT PAGE -

## Gas Leak Detector - Mid Temp

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

#### Environmental exposure controls:

#### Volatile organic compounds (VOC) according to Canadian Environmental Protection Act, 1999:

Volatile organic compounds:	0.39 % weight
V.O.C. density at 20 °C:	4.06 kg/m <sup>3</sup> (4.06 g/L)

#### Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply):	0,01 % weight
V.O.C. density at 20 °C:	0,07 kg/m <sup>3</sup> (0,07 g/L)
Average carbon number:	1
Average molecular weight:	30 g/mol

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

#### Appearance:

Physical state at 68 °F / 20 °C	Liquid
Appearance:	Not available
Color:	Not available
Odor:	Not available
Odour threshold:	Not applicable (N/A) *

#### Volatility:

Boiling point at atmospheric pressure:	212 °F / 100 °C
Vapour pressure at 68 °F / 20 °C	2368 Pa
Vapour pressure at 122 °F / 50 °C	12418.29 Pa (12.42 kPa)
Evaporation rate at 68 °F / 20 °C	Not applicable (N/A) *

#### Product description:

Density at 68 °F / 20 °C	1035 kg/m <sup>3</sup>
Relative density at 68 °F / 20 °C	1.035
Dynamic viscosity at 68 °F / 20 °C	Not applicable (N/A) *
Kinematic viscosity at 68 °F / 20 °C	Not applicable (N/A) *
Kinematic viscosity at 104 °F / 40 °C	Not applicable (N/A) *
Concentration:	Not applicable (N/A) *
pH:	Not applicable (N/A) *
Vapour density at 68 °F / 20 °C:	Not applicable (N/A) *
Partition coefficient n-octanol/water 68 °F / 20 °C	Not applicable (N/A) *
Solubility in water at 68 °F / 20 °C:	Not applicable (N/A) *
Solubility properties:	Not applicable (N/A) *
Decomposition temperature:	Not applicable (N/A) *
Melting point/freezing point:	Not applicable (N/A) *

\*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

## Gas Leak Detector - Mid Temp

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

#### Flammability:

Flash Point:	Non Flammable (>93 °C) (>199.4 °F)
Flammability (solid, gas):	Non-applicable *
Autoignition temperature:	790 °F / 421 °C
Lower flammability limit:	Non-applicable *
Upper flammability limit:	Non-applicable *

#### Particle characteristics:

Median equivalent diameter:	Non-applicable
-----------------------------	----------------

#### 9.2 Other information:

##### Information with regard to physical hazard classes:

Explosive properties:	Not applicable (N/A) *
Oxidising properties:	Not applicable (N/A) *
Corrosive to metals:	Not applicable (N/A) *
Heat of combustion:	Not applicable (N/A) *
Aerosols-total percentage (by mass) of flammable components:	Not applicable (N/A) *

##### Other safety characteristics:

Surface tension at 68 °F / 20 °C	Not applicable (N/A) *
Refraction index:	Not applicable (N/A) *

\*Not relevant due to the nature of the product, not providing information property of its hazards.

### SECTION 10: STABILITY AND REACTIVITY

#### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

#### 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

#### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

#### 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

#### 10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Not applicable	Not applicable	Avoid alkalis or strong bases

#### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

- CONTINUED ON NEXT PAGE -

**Gas Leak Detector - Mid Temp****SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on toxicological effects and hazard classes as defined in Regulation (EC) No 1272/2008:**

The experimental information related to the toxicological properties of the product itself is not available

**Dangerous health implications:**

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure:

**A- Ingestion (acute effect):**

- Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

**B- Inhalation (acute effect):**

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**C- Contact with the skin and the eyes (acute effect):**

- Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
- Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

**D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):**

- Carcinogenicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous with carcinogenic effects. For more information see section 3.  
IARC: Formaldehyde (1); Amides, coco, N,N-bis(hydroxyethyl) (2B); 2,2'-iminodiethanol (2B); C.I.Basic Violet 10 (3)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**E- Sensitizing effects:**

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**F- Specific target organ toxicity (STOT) - single exposure:**

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**G- Specific target organ toxicity (STOT)-repeated exposure:**

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, however, it does contain substances which are classified as dangerous due to repetitive exposure. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**H- Aspiration hazard:**

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**Other information:**

Non-applicable

- CONTINUED ON NEXT PAGE -

### Gas Leak Detector - Mid Temp

#### SECTION 11: TOXICOLOGICAL INFORMATION (continued)

##### Specific toxicology information on the substances: In Accordance With: 29 CFR 1910.1200 / WHMIS 2015

Identification	Acute toxicity		Genus
	Route	Dose	
Amides, coco, N,N-bis(hydroxyethyl) CAS: 68603-42-9	LD50 oral	12200 mg/kg	Rat
	LD50 dermal	Not applicable (N/A)	
	LC50 inhalation	Not applicable (N/A)	
4-Nonylphenol, branched, ethoxylated CAS: 127087-87-0	LD50 oral	500 mg/kg (ATEi)	
	LD50 dermal	Not applicable (N/A)	
	LC50 inhalation	Not applicable (N/A)	
2,2'-iminodiethanol CAS: 111-42-2	LD50 oral	710 mg/kg	Rat
	LD50 dermal	12200 mg/kg	Rabbit
	LC50 inhalation	Not applicable (N/A)	

##### In Accordance With: COMMISSION REGULATION (EU) 2020/878

Identification	Acute toxicity		Genus
	Route	Dose	
Amides, coco, N,N-bis(hydroxyethyl) CAS: 68603-42-9 EC: 271-657-0	LD50 oral	12200 mg/kg	Rat
	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	
4-Nonylphenol, branched, ethoxylated CAS: 127087-87-0 EC: 500-315-8	LD50 oral	500 mg/kg (ATEi)	
	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	

#### 11.2 Information on other hazards:

##### Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

##### Other information

Non-applicable

#### SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

##### 12.1 Ecotoxicity (aquatic and terrestrial, where available): In Accordance With: 29 CFR 1910.1200 / WHMIS 2015

##### Acute toxicity:

Identification	Concentration		Species	Genus
	Route	Dose		
4-Nonylphenol, branched, ethoxylated CAS: 127087-87-0	LC50	84.7 mg/L (96 h)	Lepomis macrochirus	Fish
	EC50	23 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	19.5 mg/L (72 h)	Desmodesmus subspicatus	Algae
2,2'-iminodiethanol CAS: 111-42-2	LC50	800 mg/L (24 h)	Carassius auratus	Fish
	EC50	180 mg/L (24 h)	Daphnia magna	Crustacean
	EC50	75 mg/L (72 h)	Scenedesmus subspicatus	Algae

##### Chronic toxicity:

Identification	Concentration		Species	Genus
	Route	Dose		
2,2'-iminodiethanol CAS: 111-42-2	NOEC	1 mg/L	N/A	Fish
	NOEC	0.78 mg/L	Daphnia magna	Crustacean

- CONTINUED ON NEXT PAGE -

### Gas Leak Detector - Mid Temp

#### SECTION 12: ECOLOGICAL INFORMATION (continued)

##### 12.1 Ecotoxicity (aquatic and terrestrial, where available):

In Accordance With: COMMISSION REGULATION (EU) 2020/878

###### Acute toxicity:

Identification	Concentration	Species	Genus
4-Nonylphenol, branched, ethoxylated CAS: 127087-87-0 EC: 500-315-8	LC50 84,7 mg/L (96 h)	Lepomis macrochirus	Fish
	EC50 23 mg/L (48 h)	Daphnia magna	Crustacean
	EC50 19,5 mg/L (72 h)	Desmodesmus subspicatus	Algae

##### 12.2 Persistence and degradability:

Substance-specific information: In Accordance With: 29 CFR 1910.1200 / WHMIS 2015

Identification	Degradability		Biodegradability	
4-Nonylphenol, branched, ethoxylated CAS: 127087-87-0	BOD5	Non-applicable	Concentration	Non-applicable
	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	81 %
2,2'-iminodiethanol CAS: 111-42-2	BOD5	0.03 g O2/g	Concentration	100 mg/L
	COD	1.52 g O2/g	Period	21 days
	BOD5/COD	0.02	% Biodegradable	54 %

Substance-specific information: In Accordance With: COMMISSION REGULATION (EU) 2020/878

Identification	Degradability		Biodegradability	
4-Nonylphenol, branched, ethoxylated CAS: 127087-87-0 EC: 500-315-8	BOD5	Non-applicable	Concentration	Non-applicable
	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	81 %

##### 12.3 Bioaccumulative potential:

Substance-specific information: In Accordance With: 29 CFR 1910.1200 / WHMIS 2015

Identification	Bioaccumulation potential	
4-Nonylphenol, branched, ethoxylated CAS: 127087-87-0	BCF	8
	Pow Log	5.67
	Potential	Low
2,2'-iminodiethanol CAS: 111-42-2	BCF	1
	Pow Log	-1.43
	Potential	Low

Substance-specific information: In Accordance With: COMMISSION REGULATION (EU) 2020/878

Identification	Bioaccumulation potential	
4-Nonylphenol, branched, ethoxylated CAS: 127087-87-0 EC: 500-315-8	BCF	8
	Pow Log	5.67
	Potential	Low

**Gas Leak Detector - Mid Temp**

**SECTION 12: ECOLOGICAL INFORMATION (continued)**

**12.4 Mobility in soil: In Accordance With: 29 CFR 1910.1200 / WHMIS 2015**

Identification	Absorption/desorption		Volatility	
	Parameter	Value	Parameter	Value
4-Nonylphenol, branched, ethoxylated CAS: 127087-87-0	Koc	427	Henry	Not applicable (N/A)
	Conclusion	Low	Dry soil	Not applicable (N/A)
	Surface tension	Not applicable (N/A)	Moist soil	Not applicable (N/A)
2,2'-iminodiethanol CAS: 111-42-2	Koc	Not applicable (N/A)	Henry	Not applicable (N/A)
	Conclusion	Not applicable (N/A)	Dry soil	Not applicable (N/A)
	Surface tension	3.4E-2 N/m(299.21 °F) (148.45 °C)	Moist soil	Not applicable (N/A)

**Mobility in soil: In Accordance With: COMMISSION REGULATION (EU) 2020/878**

Identification	Absorption/desorption		Volatility	
	Parameter	Value	Parameter	Value
4-Nonylphenol, branched, ethoxylated CAS: 127087-87-0 EC: 500-315-8	Koc	427	Henry	Non-applicable
	Conclusion	Low	Dry soil	Non-applicable
	Surface tension	Non-applicable	Moist soil	Non-applicable

**12.5 Results of PBT and vPvB assessment:**

Product fails to meet PBT/vPvB criteria

**12.6 Endocrine disrupting properties:**

Contains 4-Nonylphenol, branched, ethoxylated. A substance shall be considered as having endocrine-disrupting properties that may cause adverse effects on non-target organisms if: (a) it shows an adverse effect in non-target organisms, which is a change in the morphology, physiology, growth, development, reproduction or life span of an organism, system or (sub)population that results in an impairment of functional capacity, an impairment of the capacity to compensate for additional stress or an increase in susceptibility to other influences  
 (b) it has an endocrine mode of action, i.e. it alters the function(s) of the endocrine system  
 (c) the adverse effect is a consequence of the endocrine mode of action.

**12.7 Other adverse effects:**

Not described

**SECTION 13: DISPOSAL CONSIDERATIONS**

**13.1 Disposal methods: In Accordance With: 29 CFR 1910.1200**

IT IS THE RESPONSIBILITY OF THE WASTE GENERATOR TO EVALUATE WHETHER HIS WASTES ARE HAZARDOUS BY CHARACTERISTICS OR LISTING.

**Waste management (disposal and evaluation):**

Follow RCRA framework and EPA regulation for to ensure that hazardous waste is managed safely and properly. Waste should not be disposed of to drains. Remind, It is the responsibility of the waste generator to evaluate whether his wastes are hazardous by characteristics or listing. See section 6 for further information about Accidental release measures.

**Regulations related to waste management:**

Legislation related to waste management:

40 CFR Solid Wastes - Part 239 through 282.

State regulatory requirements for generators may be more stringent than those in the federal program. Be sure to check the state's policies.

**Gas Leak Detector - Mid Temp**

**SECTION 13: DISPOSAL CONSIDERATIONS (continued)**

**13.1 Disposal methods: In Accordance With: COMMISSION REGULATION (EU) 2020/878**

Code	Description	Waste class (Regulation (EU) No 1357/2014)
	It is not possible to assign a specific code, as it depends on the intended use by the user	Non dangerous

**Type of waste (Regulation (EU) No 1357/2014):**

Non-applicable

**Waste management (disposal and evaluation):**

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

**Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

**In Accordance With: WHMIS 2015**

**Waste management (disposal and evaluation):**

Consult the authorized waste service manager on the assessment and disposal operations. In case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See epigraph 6.2.

**Regulations related to waste management:**

Legislation related to waste management:

Canadian Environmental Protection Act, 1999

**SECTION 14: TRANSPORT INFORMATION**

This product is not regulated for transport (ADR/RID,IMDG,IATA)

**SECTION 15: REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulations specific for the product in question:**

**In Accordance With: 29 CFR 1910.1200**

- CALIFORNIA LABOR CODE - The Hazardous Substances List: *4-Nonylphenol, branched, ethoxylated (127087-87-0); 2,2'-iminodiethanol (111-42-2)*
- California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986) - Birth defects or other reproductive harm: Not applicable (N/A)
- California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986) - Cancer: *Amides, coco, N,N-bis(hydroxyethyl) (68603-42-9); 2,2'-iminodiethanol (111-42-2)*
- CANADA-Domestic Substances List (DSL): *4-Nonylphenol, branched, ethoxylated (127087-87-0); Amides, coco, N,N-bis(hydroxyethyl) (68603-42-9); 2,2'-iminodiethanol (111-42-2)*
- CANADA-Non-Domestic Substances List (NDSL): Not applicable (N/A)
- Hazardous Air Pollutants (Clean Air Act): *2,2'-iminodiethanol (111-42-2)*
- Massachusetts RTK - Substance List: *4-Nonylphenol, branched, ethoxylated (127087-87-0); 2,2'-iminodiethanol (111-42-2)*
- Minnesota - Hazardous substances ERTK: *2,2'-iminodiethanol (111-42-2)*
- New Jersey Worker and Community Right-to-Know Act: *2,2'-iminodiethanol (111-42-2)*
- New York RTK - Substance list: *2,2'-iminodiethanol (111-42-2)*
- NTP (National Toxicology Program): Not applicable (N/A)
- OSHA Specifically Regulated Substances (29 CFR 1910.1001-1096): Not applicable (N/A)
- Pennsylvania Worker and Community Right-to-Know Law: *2,2'-iminodiethanol (111-42-2)*
- Rhode Island - Hazardous substances RTK: *2,2'-iminodiethanol (111-42-2)*
- The Toxic Substances Control Act (TSCA) : *4-Nonylphenol, branched, ethoxylated (127087-87-0); Amides, coco, N,N-bis(hydroxyethyl) (68603-42-9); 2,2'-iminodiethanol (111-42-2)*

- CONTINUED ON NEXT PAGE -

**Gas Leak Detector - Mid Temp****SECTION 15: REGULATORY INFORMATION (continued)****15.1 Safety, health and environmental regulations specific for the product in question:****In Accordance With: 29 CFR 1910.1200**

- Toxic chemical release reporting under EPCRA section 313 (40 CFR Part 372): 4-Nonylphenol, branched, ethoxylated (127087-87-0); 2,2'-iminodiethanol (111-42-2)

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) - Reportable Quantities: 2,2'-iminodiethanol (100 pounds)

**Specific provisions in terms of protecting people or the environment:**

It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local circumstances in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product.

**Other legislation:**

Take into consideration other applicable federal, state, and local laws and local regulations.

**Safety, health and environmental regulations/legislation specific for the substance or mixture:****In Accordance With: COMMISSION REGULATION (EU) 2020/878**

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains 1,3-bis (hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione.

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): 4-Nonylphenol, branched, ethoxylated

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: 4-Nonylphenol, branched, ethoxylated (04/01/2021)

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Contains 4-Nonylphenol, branched, ethoxylated

**Seveso III:**

Non-applicable

**Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ...):**

Contains more than 0.1 % of 4-Nonylphenol, branched, ethoxylated by weight. Shall not be placed on the market, or used, as substances or in mixtures in concentrations equal to or greater than 0,1 % by weight for the following purposes:

(1) industrial and institutional cleaning except:

- controlled closed dry cleaning systems where the washing liquid is recycled or incinerated,
- cleaning systems with special treatment where the washing liquid is recycled or incinerated.

(2) domestic cleaning;

(3) textiles and leather processing except:

- processing with no release into waste water,
- systems with special treatment where the process water is pre-treated to remove the organic fraction completely prior to biological waste water treatment (degreasing of sheepskin);

(4) emulsifier in agricultural teat dips;

(5) metal working except:

uses in controlled closed systems where the washing liquid is recycled or incinerated;

(6) manufacturing of pulp and paper;

(7) cosmetic products;

(8) other personal care products except:

spermicides;

(9) co-formulants in pesticides and biocides. However national authorisations for pesticides or biocidal products containing nonylphenol ethoxylates as co-formulant, granted before 17 July 2003, shall not be affected by this restriction until their date of expiry.

**Specific provisions in terms of protecting people or the environment:**

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

**Other legislation:**

The product could be affected by sectorial legislation

- CONTINUED ON NEXT PAGE -

**Gas Leak Detector - Mid Temp****SECTION 15: REGULATORY INFORMATION (continued)****15.1 Safety, health and environmental regulations specific for the product in question:****In Accordance With: WHMIS 2015**

- Domestic Substances List (DSL): *4-Nonylphenol, branched, ethoxylated (127087-87-0)*; *Amides, coco, N,N-bis(hydroxyethyl) (68603-42-9)*; *2,2'-iminodiethanol (111-42-2)*

- Non-Domestic Substances List (NDSL): Non-applicable

**Specific provisions in terms of protecting people or the environment:**

It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local circumstances in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product.

**Other legislation:**

Canadian Environmental Protection Act, 1999

**SECTION 16: OTHER INFORMATION****Legislation related to safety data sheets:**

This safety data sheet has been designed in accordance with Appendix d to §1910.1200 - Safety data sheets

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

This safety data sheet has been designed in accordance with Part 4 and Schedule I of the Hazardous Products Regulations (SOR/2015-17)

**Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:**

Non-applicable

**Texts of the legislative phrases mentioned in section 3:**

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

**In Accordance With: 29 CFR 1910.1200 / WHMIS 2015:**

Acute Tox. 4: H302 - Harmful if swallowed.

Eye Dam. 1: H318 - Causes serious eye damage.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Skin Irrit. 2: H315 - Causes skin irritation.

STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure.

**In Accordance With: CLP Regulation (EC) No 1272/2008:**

Acute Tox. 4: H302 - Harmful if swallowed.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Skin Irrit. 2: H315 - Causes skin irritation.

**Classification procedure:**

Non-applicable

**Advice related to training:**

Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

**Principal bibliographical sources:**

Occupational Safety & Health Administration (OSHA).

<http://echa.europa.eu>

<http://eur-lex.europa.eu>

<http://whmis.org/>

- CONTINUED ON NEXT PAGE -

## Gas Leak Detector - Mid Temp

### SECTION 16: OTHER INFORMATION (continued)

#### Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5-day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50

CL50/LC50: Lethal Concentration 50

EC50: Effective concentration 50

Log-POW: Octanol-water partition coefficient

Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

Date of compilation: 5/11/2023



Manufacturer Disclaimer: The information contained in this safety data sheet ("SDS") is based on sources, technical knowledge and current legislation. Furthermore, is based on data believed to be accurate; thus, the company does not assume any liability for its accuracy. The information provided herein cannot be considered a guarantee of the properties of this product and the same is simply a description of the security requirements. The use, occupational methodology and/or conditions for users of this product are not within our awareness or control. It is ultimately the responsibility of the user(s) to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information of this SDS only refers to this product, which should not be used for purposes other than those specified. Finally, the manner in which this product is used and whether there is any infringement of patents is the sole responsibility of the user(s).

END OF SAFETY DATA SHEET