

Trace 2

SECTION 1 : IDENTIFICATION

- 1.1 Identifiant du produit:** Trace 2
Autres moyens d'identification:
21002, 21004, 21016, 21022, 21128
- 1.2 Utilisation recommandée du produit chimique et restrictions d'utilisation:**
Application de la substance / de la préparation Liquide de détection de fuite
Utilisations déconseillées : Toutes les utilisations non spécifiées dans cette section ou dans la section 7.3
- 1.3 Nom, adresse et numéro de téléphone du fabricant du produit chimique, de l'importateur ou de toute autre partie responsable:**
Highside Chemicals, Inc.
11114 Reichold Rd.
39503 Gulfport - Mississippi - United States
Phone: 228-896-9220, 800-359-5599
- 1.4 Numéro de téléphone d'urgence:** ChemTel Inc. (800)255-3924, +1 (813)248-0585

SECTION 2 : IDENTIFICATION DES DANGERS

- 2.1 Classification de la substance ou du mélange:**
NFPA:
Risques pour la santé : 2
Risques d'inflammabilité : 0
Risques d'instabilité : 0
Risques spéciaux : Sans objet (S/O)
Conformément à: 29 CFR 1910.1200:
La classification de ce produit a été effectuée conformément au paragraphe (d) du § 1910.1200.
Skin Sens. 1 : Sensibilisation cutanée, Catégorie 1, H317
Conforme au règlement CLP (CE) n° 1272/2008:
La classification de ce produit a été effectuée conformément au règlement CLP (CE) n° 1272/2008.
Skin Sens. 1 : Sensibilisation cutanée, catégorie 1, H317
Conforme à : SIMDUT 2015:
La classification de ce produit a été effectuée conformément à la partie 2 du Règlement sur les produits dangereux (DORS/2015-17)
Sens. cutanée 1 : Sensibilisation cutanée, catégorie 1, H317
- 2.2 Éléments d'étiquette:**
NFPA:

Conforme à : 29 CFR 1910.1200 / CLP Règlement (CE) n° 1272/2008 / SIMDUT 2015
Avertissement

Mentions de danger:
Skin Sens. 1 : H317 - Peut provoquer une allergie cutanée.
Conseils de prudence:
P261 : Éviter de respirer les poussières/fumées/gaz/brouillards/vapeurs/aérosols.
P272 : Les vêtements de travail contaminés ne doivent pas sortir du lieu de travail.
P280 : Porter des gants de protection/des vêtements de protection/une protection respiratoire/une protection des yeux/des chaussures de protection.
P302+P352 : EN CAS DE CONTACT AVEC LA PEAU : Laver abondamment à l'eau et au savon.
P333+P313 : En cas d'irritation ou d'éruption cutanée : consulter un médecin.
P501 : Éliminer le contenu et/ou les récipients conformément à la réglementation relative aux déchets dangereux ou aux emballages et aux déchets d'emballages.

- SUITE SUR LA PAGE SUIVANTE -

Trace 2

SECTION 2 : IDENTIFICATION DES DANGERS (suite)

2.3 Dangers non classés ailleurs (HHNOC - PHNOC):

Conforme à : 29 CFR 1910.1200 / SIMDUT 2015

Sans objet (S.O.)

Conformément au RÈGLEMENT (UE) 2020/878 DE LA COMMISSION Le

produit ne répond pas aux critères PBT/vPvB

Propriétés perturbatrices endocriniennes : Le produit ne répond pas aux critères.

SECTION 3 : COMPOSITION/INFORMATIONS SUR LES INGRÉDIENTS

3.1 Substances:

Sans objet



3.2 Mélanges:

Conforme à : 29 CFR 1910.1200

Description chimique: Mélange composé de produits chimiques

Composants:






Les composants restants ne sont pas dangereux et/ou présents en quantités inférieures aux limites déclarables. L'identité chimique spécifique et/ou le pourcentage exact (concentration) de la composition ont été retenus comme secret commercial conformément au paragraphe (i) du § 1910.1200. Par conséquent, conformément à l'annexe D du § 1910.1200, le produit contient :

Identification	Nom chimique/Classification	Concentration
CAS: 64742-53-6	Distillates (petroleum), hydrotreated light naphthenic, < 3 % IP 346, < 20.5 cSt @ 40°C Asp. Tox. 1: H304 - Danger	 1 - <2.5 %
CAS: 92257-31-3	2-Naphthalenol, 1-[[4-(phenylazo)phenyl]azo]-, ar-heptyl ar', ar''-Me derivs. Repr. 2 : H361 STOT RE 2 : H373 Attention	 1 - <2.5 %

Pour obtenir plus d'informations sur les dangers des substances, consultez les sections 11, 12 et 16.

Conformément au RÈGLEMENT (UE) 2020/878 DE LA COMMISSION

Conformément à l'annexe II du règlement (CE) n° 1907/2006 (point 3), le produit contient:

Identification	Nom chimique/Classification	Concentration
CAS: 64742-53-6 EC: 265-156-6 Index: 649-466-00-2 REACH: 01-2119480375-34-XXXX	Distillates (petroleum), hydrotreated light naphthenic, < 3 % IP 346, < 20.5 cSt @ 40°C⁽¹⁾ Règlement 1272/2008 Asp. Tox. 1: H304 - Danger	 1 - <2.5 %
CAS: 92257-31-3 EC: 296-120-8 Index: Non-applicable REACH: 01-2120753600-62-XXXX	2-Naphthalenol, 1-[[4-(phenylazo)phenyl]azo]-, ar-heptyl ar', ar''-Me derivs.⁽¹⁾ Règlement 1272/2008 Aquatic Chronic 4 : H413 Repr. 2 : H361d STOT RE 2 : H373 - Attention	 1 - <2.5 %
CAS: 100-41-4 EC: 202-849-4 Index: 601-023-00-4 REACH: 01-2119489370-35-XXXX	Ethylbenzene⁽²⁾ Règlement 1272/2008 Tox. aigu 4 : H332 ; Tox. asp. 1 : H304 ; Liquide inflammable 2 : H225 ; Danger pour les substances dangereuses 2 : H373	   ATP ATP06 <1 %



⁽¹⁾ Substances présentant un danger pour la santé ou l'environnement qui répondent aux critères fixés dans le règlement (UE) n° 2020/878

⁽²⁾ Substance avec une limite d'exposition sur le lieu de travail définie par l'Union

Pour obtenir plus d'informations sur les dangers des substances, consultez les sections 11, 12 et 16.

Conforme à : SIMDUT 2015

Conformément à l'annexe I du Règlement sur les produits dangereux (DORS/2015-17), le produit contient:

Identification	Nom chimique/Classification	Concentration
CAS: 64742-53-6	Distillates (petroleum), hydrotreated light naphthenic, < 3 % IP 346, < 20.5 cSt @ 40°C Asp. Tox. 1: H304 - Danger	 1 - <5 %
CAS: 92257-31-3	2-Naphthalenol, 1-[[4-(phenylazo)phenyl]azo]-, ar-heptyl ar', ar''-Me derivs. Repr. 2 : H361 ; STOT RE 2 : H373 - Attention	 1 - <5 %

Pour obtenir plus d'informations sur les dangers des substances, consultez les sections 11, 12 et 16.

- SUITE SUR LA PAGE SUIVANTE -

Trace 2

SECTION 4 : PREMIERS SECOURS

4.1 Description of necessary measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact:

May cause an allergic skin reaction. In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes on the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms/effects, acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of immediate medical attention and special treatment needed, if necessary:

Not applicable (N/A)

SECTION 5 : MESURES DE LUTTE CONTRE L'INCENDIE

5.1 Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Specific hazards arising from the chemical:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Special protective equipment and precautions for fire-fighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

In Accordance With: 29 CFR 1910.1200

As in any fire, prevent human exposure to fire, smoke, fumes or products of combustion. Only properly trained personnel should be involved in firefighting. Evacuate nonessential personnel from the fire area. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

In Accordance With: COMMISSION REGULATION (EU) 2020/878 / WHMIS 2015

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

- SUITE SUR LA PAGE SUIVANTE -

Trace 2

SECTION 6 : MESURES À PRENDRE EN CAS DE DISPERSION ACCIDENTELLE

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

6.3 Methods and materials for containment and cleaning up:

In Accordance With: 29 CFR 1910.1200

For accidental releases in excess of reportable quantities (RQ) (Table 302.4), refer to 40 CFR 302 for detailed instructions concerning reporting requirements and notify the National Response Center (800) 424-8802.

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

In Accordance With: COMMISSION REGULATION (EU) 2020/878 / WHMIS 2015

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7 : MANIPULATION ET STOCKAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities: In Accordance With: 29 CFR 1910.1200

A.- Technical measures for storage

Minimum Temp.: 41 °F

Maximum Temp.: 86 °F

Maximum time: 6 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

Trace 2

SECTION 7 : MANIPULATION ET STOCKAGE (suite)

7.2 Conditions for safe storage, including any incompatibilities:

In Accordance With: COMMISSION REGULATION (EU) 2020/878 / WHMIS 2015

A.- Technical measures for storage

Minimum Temp.: 5 °C
Maximum Temp.: 30 °C
Maximum time: 6 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8 : CONTRÔLES DE L'EXPOSITION/PROTECTION INDIVIDUELLE

8.1 Control parameters: In Accordance With: 29 CFR 1910.1200 / WHMIS 2015

Substances whose occupational exposure limits have to be monitored in the workplace:

There are no applicable occupational exposure limits for the substances contained in the product

In Accordance With: COMMISSION REGULATION (EU) 2020/878

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identification	Occupational exposure limits		
	IOELV (8h)	100 ppm	442 mg/m ³
Ethylbenzene CAS: 100-41-4 EC: 202-849-4	IOELV (STEL)	200 ppm	884 mg/m ³

DNEL (Workers):

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
2-Naphthalenol, 1-[[4-(phenylazo)phenyl]azo]-, ar-heptyl ar',ar''-Me derivs. CAS: 92257-31-3 EC: 296-120-8	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,04 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	0,07 mg/m ³	Non-applicable
Ethylbenzene CAS: 100-41-4 EC: 202-849-4	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	180 mg/kg	Non-applicable
	Inhalation	Non-applicable	293 mg/m ³	77 mg/m ³	Non-applicable

DNEL (General population):

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
2-Naphthalenol, 1-[[4-(phenylazo)phenyl]azo]-, ar-heptyl ar',ar''-Me derivs. CAS: 92257-31-3 EC: 296-120-8	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,02 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	0,017 mg/m ³	Non-applicable
Ethylbenzene CAS: 100-41-4 EC: 202-849-4	Oral	Non-applicable	Non-applicable	1,6 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Inhalation	Non-applicable	Non-applicable	15 mg/m ³	Non-applicable

- SUITE SUR LA PAGE SUIVANTE -

Trace 2

SECTION 8 : CONTRÔLES DE L'EXPOSITION/PROTECTION INDIVIDUELLE (suite)

8.1 Control parameters: In Accordance With: COMMISSION REGULATION (EU) 2020/878

PNEC:


Identification				
Ethylbenzene CAS: 100-41-4 EC: 202-849-4	STP	9,6 mg/L	Fresh water	0,1 mg/L
	Soil	2,68 mg/kg	Marine water	0,01 mg/L
	Intermittent	0,1 mg/L	Sediment (Fresh water)	13,7 mg/kg
	Oral	0,02 g/kg	Sediment (Marine water)	1,37 mg/kg

8.2 Exposure controls:



A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.


B.- Respiratory protection In Accordance With: 29 CFR 1910.1200 / WHMIS 2015

Pictogram	PPE	Remarks
 Mandatory respiratory tract protection	Filter mask for gases and vapours	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment. Use respirator in accordance with manufacturer's use limitations and OSHA standard 1910.134 (29CFR)

In Accordance With: COMMISSION REGULATION (EU) 2020/878



Pictogram	PPE	Labelling	CEN Standard	Remarks
 Mandatory respiratory tract protection	Filter mask for gases and vapours		EN 405:2002+A1:2010	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment.

C.- Specific protection for the hands In Accordance With: 29 CFR 1910.1200 / WHMIS 2015

Pictogram	PPE	Remarks
 Mandatory hand protection	Protective gloves against minor risks	Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional /industrial users, we recommend using chemical protection gloves. Use gloves in accordance with manufacturer's use limitations and OSHA standard 1910.138 (29CFR)

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

In Accordance With: COMMISSION REGULATION (EU) 2020/878

Pictogram	PPE	Labelling	CEN Standard	Remarks
 Mandatory hand protection	Protective gloves against minor risks			Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+A1:2010 and EN ISO 374-1:2016+A1:2018

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.


- SUITE SUR LA PAGE SUIVANTE -

Trace 2



SECTION 8 : CONTRÔLES DE L'EXPOSITION/PROTECTION INDIVIDUELLE (suite)

8.2 Exposure controls:

D.- Eye and face protection In Accordance With: 29 CFR 1910.1200 / WHMIS 2015

Pictogram	PPE	Remarks
 Mandatory face protection	Panoramic glasses against splash/projections.	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. Use this PPE in accordance with manufacturer's use limitations and OSHA standard 1910.133 (29CFR)



In Accordance With: COMMISSION REGULATION (EU) 2020/878

Pictogram	PPE	Labelling	CEN Standard	Remarks
 Mandatory face protection	Panoramic glasses against splash/projections.		EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.



E.- Bodily protection In Accordance With: 29 CFR 1910.1200 / WHMIS 2015

Pictogram	PPE	Remarks
	Work clothing	Replace before any evidence of deterioration.
	Anti-slip work shoes	Replace before any evidence of deterioration.

In Accordance With: COMMISSION REGULATION (EU) 2020/878

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing			Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes		EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007

F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
 Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	 Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

Trace 2

SECTION 8 : CONTRÔLES DE L'EXPOSITION/PROTECTION INDIVIDUELLE (suite)

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

40 CFR Part 59 (VOC):

V.O.C.(weight-percent): 0.03 % weight
V.O.C. at 68 °F: Not applicable (N/A)

California Air Resources Board (CARB) - VOC Regulatory:

V.O.C.(weight-percent): 0.03 % weight
V.O.C. at 68 °F: Not applicable (N/A)

South Coast Air Quality Management District (AQMD) - VOC Regulatory:

V.O.C.(weight-percent): 0.03 % weight
V.O.C. at 68 °F: Not applicable (N/A)

Ozone Transport Commission (OTC) Rules - VOC Regulatory:

V.O.C.(weight-percent): 0.03 % weight
V.O.C. at 68 °F: Not applicable (N/A)

Volatile organic compounds (VOC) according to Canadian Environmental Protection Act, 1999:

Volatile organic compounds: 0.03 % weight
V.O.C. density at 20 °C: Non-applicable

Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply): 0,03 % weight
V.O.C. density at 20 °C: Non-applicable
Average carbon number: 8
Average molecular weight: 106,2 g/mol

SECTION 9 : PROPRIÉTÉS PHYSIQUES ET CHIMIQUES

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:

Physical state at 68 °F / 20 °C: Liquid
Appearance: Not available
Color: Not available
Odor: Not available
Odour threshold: Not applicable (N/A) *

Volatility:

Boiling point at atmospheric pressure: 492 °F / 255 °C
Vapour pressure at 68 °F: 1017 Pa
Vapour pressure at 122 °F: 4817.6 Pa (4.82 kPa)
Evaporation rate at 68 °F: Not applicable (N/A) *

*Not relevant due to the nature of the product, not providing information property of its hazards.

- SUITE SUR LA PAGE SUIVANTE -

Trace 2

SECTION 9 : PROPRIÉTÉS PHYSIQUES ET CHIMIQUES (suite)

Product description:

Density at 68 °F / 20 °C	Not applicable (N/A) *
Relative density at 68 °F / 20 °C	Not applicable (N/A) *
Dynamic viscosity at 68 °F / 20 °C	Not applicable (N/A) *
Kinematic viscosity at 68 °F / 20 °C	Not applicable (N/A) *
Kinematic viscosity at 104 °F / 40 °C	Not applicable (N/A) *
Concentration:	Not applicable (N/A) *
pH:	Not applicable (N/A) *
Vapour density at 68 °F / 20 °C:	Not applicable (N/A) *
Partition coefficient n-octanol/water 68 °F / 20 °C	Not applicable (N/A) *
Solubility in water at 68 °F / 20 °C:	Not applicable (N/A) *
Solubility properties:	Not applicable (N/A) *
Decomposition temperature:	Not applicable (N/A) *
Melting point/freezing point:	Not applicable (N/A) *

Flammability:

Flash Point:	Non Flammable (>93 °C) (>199.4 °F)
Flammability (solid, gas):	Non-applicable *
Autoignition temperature:	810 °F / 432 °C
Lower flammability limit:	Non-applicable *
Upper flammability limit:	Non-applicable *

Particle characteristics:

Median equivalent diameter:	Non-applicable
-----------------------------	----------------

9.2 Other information:

Information with regard to physical hazard classes:

Explosive properties:	Non-applicable *
Oxidising properties:	Non-applicable *
Corrosive to metals:	Non-applicable *
Heat of combustion:	Non-applicable *
Aerosols-total percentage (by mass) of flammable components:	Non-applicable *

Other safety characteristics:

Surface tension at 68 °F / 20 °C:	Non-applicable *
Refraction index:	Non-applicable *

*Not relevant due to the nature of the product, not providing information property of its hazards.

Trace 2

SECTION 10 : STABILITÉ ET RÉACTIVITÉ

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Precaution	Precaution	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11 : INFORMATIONS TOXICOLOGIQUES

11.1 Information on toxicological effects and hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for skin contact. For more information see section 3.
- Contact with the eyes: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
IARC: Distillates (petroleum), hydrotreated light naphthenic , < 3 % IP 346, < 20.5 cSt @ 40°C (3); Ethylbenzene (2B)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

- SUITE SUR LA PAGE SUIVANTE -

Trace 2

SECTION 11 : INFORMATIONS TOXICOLOGIQUES (suite)

11.1 Information on toxicological effects and hazard classes as defined in Regulation (EC) No 1272/2008:

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

In Accordance With: COMMISSION REGULATION (EU) 2020/878

Identification	Acute toxicity		Genus
	LD50 oral	LD50 dermal	
Ethylbenzene CAS: 100-41-4 EC: 202-849-4	3500 mg/kg	15354 mg/kg	Rat
	LC50 inhalation	17,2 mg/L (4 h)	Rat

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

SECTION 12 : INFORMATIONS ÉCOLOGIQUES

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Ecotoxicity (aquatic and terrestrial, where available): In Accordance With: 29 CFR 1910.1200 / WHMIS 2015

Not available

In Accordance With: COMMISSION REGULATION (EU) 2020/878

Acute toxicity:

Identification	Concentration		Species	Genus
	LC50	EC50		
Ethylbenzene CAS: 100-41-4 EC: 202-849-4	42,3 mg/L (96 h)		Pimephales promelas	Fish
		75 mg/L (48 h)	Daphnia magna	Crustacean
		63 mg/L (3 h)	Chlorella vulgaris	Algae

Chronic toxicity:

Identification	Concentration		Species	Genus
	NOEC	NOEC		
Ethylbenzene CAS: 100-41-4 EC: 202-849-4	Non-applicable			
	0,96 mg/L		Ceriodaphnia dubia	Crustacean

- SUITE SUR LA PAGE SUIVANTE -

Trace 2

SECTION 12 : INFORMATIONS ÉCOLOGIQUES (suite)

12.2 Persistence and degradability:

In Accordance With: 29 CFR 1910.1200 / WHMIS 2015

Not available

Substance-specific information: In Accordance With: COMMISSION REGULATION (EU) 2020/878

Identification	Degradability		Biodegradability	
	Ethylbenzene CAS: 100-41-4 EC: 202-849-4	BOD5	Non-applicable	Concentration
	COD	Non-applicable	Period	14 days
	BOD5/COD	Non-applicable	% Biodegradable	90 %

12.3 Bioaccumulative potential:

In Accordance With: 29 CFR 1910.1200 / WHMIS 2015

Not available

Substance-specific information: In Accordance With: COMMISSION REGULATION (EU) 2020/878

Identification	Bioaccumulation potential	
	Ethylbenzene CAS: 100-41-4 EC: 202-849-4	BCF
	Pow Log	3.15
	Potential	Low

12.4 Mobility in soil:

In Accordance With: 29 CFR 1910.1200 / WHMIS 2015

Not available

In Accordance With: COMMISSION REGULATION (EU) 2020/878

Identification	Absorption/desorption		Volatility	
	Ethylbenzene CAS: 100-41-4 EC: 202-849-4	Koc	520	Henry
	Conclusion	Moderate	Dry soil	Yes
	Surface tension	2,859E-2 N/m (25 °C)	Moist soil	Yes

12.5 Results of PBT and vPvB assessment:

Non-applicable / Product fails to meet PBT/vPvB criteria

12.6 Other adverse effects / Endocrine disrupting properties:

Not described / Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13 : CONSIDÉRATIONS RELATIVES À L'ÉLIMINATION

13.1 Disposal methods: In Accordance With: 29 CFR 1910.1200

IT IS THE RESPONSIBILITY OF THE WASTE GENERATOR TO EVALUATE WHETHER HIS WASTES ARE HAZARDOUS BY CHARACTERISTICS OR LISTING.

Waste management (disposal and evaluation):

Follow RCRA framework and EPA regulation for to ensure that hazardous waste is managed safely and properly. Waste should not be disposed of to drains. Remind, It is the responsibility of the waste generator to evaluate whether his wastes are hazardous by characteristics or listing. See section 6 for further information about Accidental release measures.

Trace 2

SECTION 13 : CONSIDÉRATIONS RELATIVES À L'ÉLIMINATION (suite)

13.1 Disposal methods: In Accordance With: 29 CFR 1910.1200

Regulations related to waste management:

Legislation related to waste management:

40 CFR Solid Wastes - Part 239 through 282.

State regulatory requirements for generators may be more stringent than those in the federal program. Be sure to check the state's policies.

In Accordance With: COMMISSION REGULATION (EU) 2020/878

Code	Description	Waste class (Regulation (EU) No 1357/2014)
	It is not possible to assign a specific code, as it depends on the intended use by the user	Non dangerous

Type of waste (Regulation (EU) No 1357/2014):

Non-applicable

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

In Accordance With: WHMIS 2015

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations. In case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See epigraph 6.2.

Regulations related to waste management:

Legislation related to waste management:

Canadian Environmental Protection Act, 1999

SECTION 14 : INFORMATIONS RELATIVES AU TRANSPORT

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15 : INFORMATIONS RÉGLEMENTAIRES

15.1 Safety, health and environmental regulations specific for the product in question:

In Accordance With: 29 CFR 1910.1200

- CALIFORNIA LABOR CODE - The Hazardous Substances List: Not applicable (N/A)
- California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986) - Birth defects or other reproductive harm: Not applicable (N/A)
- California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986) - Cancer: Not applicable (N/A)
- CANADA-Domestic Substances List (DSL): *Distillates (petroleum), hydrotreated light naphthenic, < 3 % IP 346, < 20.5 cSt @ 40°C (64742-53-6); 2-Naphthalenol, 1-[[4-(phenylazo)phenyl]azo]-, ar-heptyl ar',ar''-Me derivs. (92257-31-3)*

- SUITE SUR LA PAGE SUIVANTE -

Trace 2

SECTION 15 : INFORMATIONS RÉGLEMENTAIRES (suite)

15.1 Safety, health and environmental regulations specific for the product in question:

In Accordance With: 29 CFR 1910.1200

- CANADA-Non-Domestic Substances List (NDSL): Not applicable (N/A)
 - Hazardous Air Pollutants (Clean Air Act): Not applicable (N/A)
 - Massachusetts RTK - Substance List: *Distillates (petroleum), hydrotreated light naphthenic*, < 3 % IP 346, < 20.5 cSt @ 40°C (64742-53-6)
 - Minnesota - Hazardous substances ERTK: *Distillates (petroleum), hydrotreated light naphthenic*, < 3 % IP 346, < 20.5 cSt @ 40°C (64742-53-6)
 - New Jersey Worker and Community Right-to-Know Act: *Distillates (petroleum), hydrotreated light naphthenic*, < 3 % IP 346, < 20.5 cSt @ 40°C (64742-53-6)
 - New York RTK - Substance list: Not applicable (N/A)
 - NTP (National Toxicology Program): *Distillates (petroleum), hydrotreated light naphthenic*, < 3 % IP 346, < 20.5 cSt @ 40°C (64742-53-6)
 - OSHA Specifically Regulated Substances (29 CFR 1910.1001-1096): Not applicable (N/A)
 - Pennsylvania Worker and Community Right-to-Know Law: *Distillates (petroleum), hydrotreated light naphthenic*, < 3 % IP 346, < 20.5 cSt @ 40°C (64742-53-6)
 - Rhode Island - Hazardous substances RTK: Not applicable (N/A)
 - The Toxic Substances Control Act (TSCA) : *Distillates (petroleum), hydrotreated light naphthenic*, < 3 % IP 346, < 20.5 cSt @ 40°C (64742-53-6); *2-Naphthalenol, 1-[[4-(phenylazo)phenyl]azo]-, ar-heptyl ar', ar''-Me derivs.* (92257-31-3)
 - Toxic chemical release reporting under EPCRA section 313 (40 CFR Part 372): Not applicable (N/A)
- Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) - Reportable Quantities: Not applicable (N/A)

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local circumstances in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product.

Other legislation:

Take into consideration other applicable federal, state, and local laws and local regulations.

Safety, health and environmental regulations/legislation specific for the substance or mixture: In Accordance With: COMMISSION REGULATION (EU) 2020/878

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- tricks and jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

Trace 2

SECTION 15 : INFORMATIONS RÉGLEMENTAIRES (suite)

15.1 Safety, health and environmental regulations specific for the product in question:

In Accordance With: WHMIS 2015

- Domestic Substances List (DSL): *Distillates (petroleum), hydrotreated light naphthenic, < 3 % IP 346, < 20.5 cSt @ 40°C (64742-53-6); 2-Naphthalenol, 1-[[4-(phenylazo)phenyl]azo]-, ar-heptyl ar', ar''-Me derivs. (92257-31-3)*
- Non-Domestic Substances List (NDSL): Non-applicable

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local circumstances in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product.

Other legislation:

Canadian Environmental Protection Act, 1999

SECTION 16 : AUTRES INFORMATIONS

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with Appendix d to §1910.1200 - Safety data sheets

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

This safety data sheet has been designed in accordance with Part 4 and Schedule I of the Hazardous Products Regulations (SOR/2015-17)

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Non-applicable

Texts of the legislative phrases mentioned in section 2:

H317: May cause an allergic skin reaction.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

In Accordance With: 29 CFR 1910.1200 / WHMIS 2015:

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Repr. 2: H361 - Suspected of damaging fertility or the unborn child.

STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure (Oral).

In Accordance With: CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H332 - Harmful if inhaled.

Aquatic Chronic 4: H413 - May cause long lasting harmful effects to aquatic life.

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

Repr. 2: H361d - Suspected of damaging the unborn child.

STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure (Oral).

STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure.

Advice related to training:

Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

Occupational Safety & Health Administration (OSHA).

<http://echa.europa.eu>

<http://eur-lex.europa.eu>

<http://whmis.org/>

Trace 2

SECTION 16 : AUTRES INFORMATIONS (suite)

Abréviations et acronymes :

ADR : Accord européen relatif au transport international des marchandises dangereuses par

route IMDG : Code maritime international des marchandises dangereuses

IATA : Association internationale du transport aérien

OACI : Organisation de l'aviation civile internationale

DCO : Demande chimique en oxygène

DBO5 : Demande biochimique en oxygène sur 5 jours

FBC : Facteur de bioconcentration

DL50 : Dose létale 50

CL50/LC50 : Concentration létale 50

EC50 : Concentration efficace 50

Log-POW : Coefficient de partage octanol-eau

Koc : Coefficient de partage du carbone organique

UFI : Identifiant unique de formule

CIRC : Centre international de recherche sur le cancer

Date de rédaction : 11/05/2023



Avis de non-responsabilité du fabricant : Les informations contenues dans cette fiche de données de sécurité (« FDS ») sont basées sur des sources, des connaissances techniques et la législation en vigueur. De plus, elles sont basées sur des données considérées comme exactes ; par conséquent, la société n'assume aucune responsabilité quant à leur exactitude. Les informations fournies ici ne peuvent pas être considérées comme une garantie des propriétés de ce produit et ne constituent qu'une simple description des exigences de sécurité. L'utilisation, la méthodologie professionnelle et/ou les conditions d'utilisation de ce produit ne sont pas sous notre connaissance ni sous notre contrôle. Il incombe en fin de compte à l'utilisateur(s) de prendre les mesures nécessaires pour se conformer aux exigences légales concernant la manipulation, le stockage, l'utilisation et l'élimination des produits chimiques. Les informations de cette FDS ne concernent que ce produit, qui ne doit pas être utilisé à d'autres fins que celles spécifiées. Enfin, la manière dont ce produit est utilisé et la possibilité d'une violation de brevets relèvent de la seule responsabilité de l'utilisateur(s).

FIN DE LA FICHE DE DONNEES DE SECURITE