Printing date 09.07.2013 Revision: 30.03.2025

## 1 Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: EV COIL MAX

· Article number: 56008

· 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

· Application of the substance / the preparation Cleaning agent/ Cleaner

· 1.3 Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

Highside Chemicals, Inc. 11114 Reichold Road Gulfport, MS 39503 USA Phone: (228) 896-9220

· 1.4 Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

### 2 Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

STOT SE 3 H335 May cause respiratory irritation.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Causes severe burns.



Xi; Irritant

R37: Irritating to respiratory system.

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

(Contd. on page 2)

Printing date 09.07.2013 Revision: 30.03.2025

Trade name: EV COIL MAX

(Contd. of page 1)

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS05 GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

disodium metasilicate

tetrasodium ethylenediaminetetraacetate

sodium hydroxide

· Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P264 Wash thoroughly after handling. P260 Do not breathe mist/vapours/spray.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

- · Hazard description:
- · WHMIS-symbols:

D2B - Toxic material causing other toxic effects

E - Corrosive material



NFPA ratings (scale 0 - 4)



Health = 3Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 3 Fire = 0

(Contd. on page 3)

Printing date 09.07.2013 Revision: 30.03.2025

Trade name: EV COIL MAX

(Contd. of page 2)

### · HMIS Long Term Health Hazard Substances

None of the ingredients is listed.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

<ul> <li>Dangerous components</li> </ul>	S:	
CAS: 6834-92-0 EINECS: 229-912-9 Index number: 014-010-0	disodium metasilicate C R34; Xi R37 0-8 Skin Corr. 1B, H314 STOT SE 3, H335	50-100%
CAS: 64-02-8 EINECS: 200-573-9 Index number: 607-428-0	tetrasodium ethylenediaminetetraacetate Xn R22; Xi R41 0-2 Eye Dam. 1, H318 Acute Tox. 4, H302	5-10%
CAS: 1310-73-2 EINECS: 215-185-5 Index number: 011-002-0	sodium hydroxide C R35 O-6 Skin Corr. 1A, H314	5-10%
CAS: 137-16-6 EINECS: 205-281-5	N-Dodecanoyl-N-methylglycine, sodium salt  Xi R38-41  Eye Dam. 1, H318  Skin Irrit. 2, H315	<5,0%

· Additional information: For the wording of the listed risk phrases refer to section 16.

### 4 First aid measures

- · 4.1 Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

In case of irregular breathing or respiratory arrest provide artificial respiration.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

Seek immediate medical help for blistering or open wounds.

· After eye contact:

Protect unharmed eye.

Rinse opened eye for several minutes under running water.

(Contd. on page 4)

Printing date 09.07.2013 Revision: 30.03.2025

Trade name: EV COIL MAX

(Contd. of page 3)

Remove contact lenses if worn, if possible.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

Cramp

Nausea

**Thirst** 

Coughing

Breathing difficulty

· Hazards

Danger of gastric perforation.

Danger of pulmonary oedema.

4.3 Indication of any immediate medical attention and special treatment needed

Medical supervision for at least 48 hours.

If necessary oxygen respiration treatment.

### 5 Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Water in flooding quantities.

ABC powder

Gaseous extinguishing agents

Foam

Alcohol resistant foam

- · For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Use large quantities of foam as it is partially destroyed by the product.

Cool endangered receptacles with water spray.

No further relevant information available.

### 6 Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Product forms slippery surface when combined with water.

Avoid formation of dust.

Use respiratory protective device against the effects of fumes/dust/aerosol.

(Contd. on page 5)

Printing date 09.07.2013 Revision: 30.03.2025

Trade name: EV COIL MAX

(Contd. of page 4)

Ensure adequate ventilation

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

Clean the affected area carefully; suitable cleaners are:

Weak acid solution

Warm water

Dispose contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Use only in well ventilated areas.

Prevent formation of dust.

Any unavoidable deposit of dust must be regularly removed.

· Information about fire - and explosion protection:

Dust can combine with air to form an explosive mixture.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Unsuitable material for receptacle: steel.

Unsuitable material for receptacle: aluminium.

Unsuitable material for receptacle: glass or ceramic.

Store only in the original receptacle.

Protect from humidity and water.

### Information about storage in one common storage facility:

Store away from metals.

Do not store together with acids.

Store away from foodstuffs.

Store away from oxidizing agents.

Protect from humidity and water.

#### · Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Store receptacle in a well ventilated area.

Store in dry conditions.

Protect from humidity and water.

Keep container tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

Printing date 09.07.2013 Revision: 30.03.2025

Trade name: EV COIL MAX

(Contd. of page 5)

### 8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:		
1310-73-2 sodium hydroxide		
PEL (USA)	Long-term value: 2 mg/m³	
REL (USA)	Short-term value: C 2 mg/m³	
TLV (USA)	Short-term value: C 2 mg/m³	
EL (Canada)	Short-term value: C 2 mg/m³	

- · **DNELs** No further relevant information available.
- · PNECs No further relevant information available.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale dust / smoke / mist.

#### Respiratory protection:

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation.

Use suitable respiratory protective device when high concentrations are present.

For spills, respiratory protection may be advisable.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• For the permanent contact gloves made of the following materials are suitable: Butyl rubber, BR

(Contd. on page 7)

Printing date 09.07.2013 Revision: 30.03.2025

**Trade name: EV COIL MAX** 

(Contd. of page 6)

Neoprene gloves Nitrile rubber, NBR

· Eye protection:

Contact lenses should not be worn.



Tightly sealed goggles

- · Body protection: Alkaline resistant protective clothing
- · Limitation and supervision of exposure into the environment

No further relevant information available.

· Risk management measures

See Section 7 for additional information.

No further relevant information available.

## 9 Physical and chemical properties

· 9.1 Information on basic physical and chemical properties
· General Information
· Appearance:

Form: Powder White

Odour: Odourless
Odour threshold: Not determined.

· **pH-value:** Not applicable.

· Change in condition

Melting point/Melting range: Undetermined.
Boiling point/Boiling range: Undetermined.

• Flash point: Not applicable.

· Flammability (solid, gaseous): Not determined.

· **Ignition temperature:** Not determined.

· **Decomposition temperature:** Not determined.

· **Self-igniting:** Product is not self-igniting.

• Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.
Upper: Not determined.

· Vapour pressure: Not applicable.

• Density at 20 °C: 1,0 g/cm<sup>3</sup>

Relative densityVapour densityNot determined.Not applicable.

(Contd. on page 8)

Printing date 09.07.2013 Revision: 30.03.2025

**Trade name: EV COIL MAX** 

(Contd. of page 7)

• Evaporation rate Not applicable.

· Solubility in / Miscibility with

water: Soluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

**Dynamic:** Not applicable. **Kinematic:** Not applicable.

• 9.2 Other information No further relevant information available.

### 10 Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous reactions

Reacts with water and acids.

Strong exothermic reaction with acids.

Corrosive action on metals.

As the product is supplied it is not capable of dust explosion; however enrichment with fine dust causes risk of dust explosion.

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong oxidizing agents.

Reacts with carbon dioxide.

- · 10.4 Conditions to avoid Moisture.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Nitrogen oxides

Carbon monoxide and carbon dioxide

Toxic metal oxide smoke

## 11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values relevant for classification:

### 6834-92-0 disodium metasilicate

Oral LD50 | 1280 mg/kg (rat)

### 1310-73-2 sodium hydroxide

Oral LD50 2000 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: Strong caustic effect on skin and mucous membranes.

(Contd. on page 9)

Printing date 09.07.2013 Revision: 30.03.2025

Trade name: EV COIL MAX

(Contd. of page 8)

- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Corrosive Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

## 12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: After neutralization a reduction of the harming action may be recognized
- · Additional ecological information:
- · General notes:

This statement was deduced from the properties of the single components.

Due to available data on eliminability/decomposition and bioaccumulation potential a prolonged damage of the environment is unlikely.

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

(Contd. on page 10)

Printing date 09.07.2013 Revision: 30.03.2025

**Trade name: EV COIL MAX** 

(Contd. of page 9)

Can be disposed of with household garbage with prior chemical-physical or biological treatment following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

Transport information	
14.1 UN-Number DOT, ADR, IMDG, IATA	UN3262
14.2 UN proper shipping name	
DOT	Corrosive solid, basic, inorganic, n.o.s. (Sodiu
ADR	hydroxide, Disodium trioxosilicate) 3262 CORROSIVE SOLID, BASIC, INORGANI
	N.O.S. (SODIUM HYDROXIDE, DISODIU
IMDG, IATA	TRIOXOSILICATE) CORROSIVE SOLID, BASIC, INORGANIC, N.O.
IMDG, IATA	(SODIUM HYDROXIDE, DISODIU
	TRIOXOSILICATE)
14.3 Transport hazard class(es)	
DOT	
CONFIGURE	
Class	8 Corrosive substances.
Label	8
ADR	
5-3	
Class	8 (C6) Corrosive substances.
Label	8 ` ′
IMDG, IATA	

Printing date 09.07.2013 Revision: 30.03.2025

**Trade name: EV COIL MAX** 

	(Contd. of page 10
· Label	8
· 14.4 Packing group · DOT, ADR, IMDG, IATA	II
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No
<ul> <li>14.6 Special precautions for user</li> <li>Danger code (Kemler):</li> <li>EMS Number:</li> <li>Segregation groups</li> </ul>	Warning: Corrosive substances. 80 F-A,S-B Alkalis
<ul> <li>14.7 Transport in bulk according to Anno MARPOL73/78 and the IBC Code</li> </ul>	ex II of Not applicable.
· Transport/Additional information:	
<ul><li>ADR</li><li>Limited quantities (LQ)</li><li>Transport category</li><li>Tunnel restriction code</li></ul>	1 kg 2 E
· UN "Model Regulation":	UN3262, CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (SODIUM HYDROXIDE, DISODIUM TRIOXOSILICATE), 8, II

### 15 Regulatory information

- $\cdot$  15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- · SARA
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65 (California):
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

(Contd. on page 12)

Printing date 09.07.2013 Revision: 30.03.2025

**Trade name: EV COIL MAX** 

(Contd. of page 11)

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic Categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Canada

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)

6834-92-0 disodium metasilicate

1310-73-2 sodium hydroxide

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

R22 Harmful if swallowed.

R34 Causes burns.

R35 Causes severe burns.

R37 Irritating to respiratory system.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

(Contd. on page 13)

Printing date 09.07.2013 Revision: 30.03.2025

Trade name: EV COIL MAX

(Contd. of page 12)

### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

### · Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com