

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 07 June 2018

Revision: 07 March 2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: **Rust-Buster**

Other means of identification:

CAS number: 64742-47-8

EC number: 265-149-8

Index number: 649-422-00-2

Registration number: 01-2119484819-18-XXXX

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture: Lubricant

Uses advised against: No further relevant information available.

### 1.3 Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier:

Highside Chemicals, Inc.

11114 Reichold Road

Gulfport, MS 39503 USA

Phone: (228) 896-9220

### 1.4 Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America)

+1 (813)248-0585 (International)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is additionally classified and labelled according to the Globally Harmonized System within the United States (GHS).

The substance is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS08

Signal word Danger

Hazard-determining components of labelling:

Distillates (petroleum), hydrotreated light

Hazard statements

H304 May be fatal if swallowed and enters airways.

Precautionary statements

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

(Cont'd. on page 2)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 07 June 2018

Revision: 07 March 2024

Trade name: Rust-Buster

(Cont'd. from page 1)

P331 Do NOT induce vomiting.  
 P405 Store locked up.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Additional information:**

EUH066 Repeated exposure may cause skin dryness or cracking.

- **2.3 Other hazards** There are no other hazards not otherwise classified that have been identified.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

## SECTION 3: Composition/information on ingredients

- **3.1 Substances**

- **Description**

Distillates (petroleum), hydrotreated light

- **Identification number(s)**

**CAS number:** 64742-47-8

**EC number:** 265-149-8

**Index number:** 649-422-00-2

**Registration number:** 01-2119484819-18-XXXX

## SECTION 4: First aid measures

- **4.1 Description of first aid measures**

- **After inhalation:**

Supply fresh air.

Provide oxygen treatment if affected person has difficulty breathing.

Seek medical help for symptoms or if unconscious.

In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:**

Wash with soap and water.

If skin irritation is experienced, consult a doctor.

- **After eye contact:**

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- **After swallowing:**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

A person vomiting while lying on their back should be turned onto their side.

- **4.2 Most important symptoms and effects, both acute and delayed**

Breathing difficulty

Coughing

Gastric or intestinal disorders when ingested.

Nausea in case of ingestion.

- **Hazards:**

May be fatal if swallowed and enters airways.

(Cont'd. on page 3)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 07 June 2018

Revision: 07 March 2024

**Trade name: Rust-Buster**

(Cont'd. from page 2)

Danger of impaired breathing.

· **4.3 Indication of any immediate medical attention and special treatment needed**

If swallowed, gastric irrigation with added, activated carbon.

If swallowed or in case of vomiting, danger of entering the lungs.

If necessary oxygen respiration treatment.

Later observation for pneumonia and pulmonary oedema.

## SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents:**

Gaseous extinguishing agents

Carbon dioxide

Foam

Fire-extinguishing powder

Water haze or fog

· **For safety reasons unsuitable extinguishing agents:**

Water with full jet

Water spray

· **5.2 Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

· **5.3 Advice for firefighters**

· **Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

· **Additional information:** Cool endangered receptacles with water fog or haze.

## SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

Use personal protective equipment as required.

· **6.2 Environmental precautions**

Do not allow product to reach sewage system or any water course.

Prevent from spreading (e.g. by damming-in or oil barriers).

· **6.3 Methods and material for containment and cleaning up**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Remove from the water surface (e.g. skim or suck off).

Send for recovery or disposal in suitable receptacles.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Cont'd. on page 4)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 07 June 2018

Revision: 07 March 2024

Trade name: Rust-Buster

(Cont'd. from page 3)

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Keep out of reach of children.  
Avoid splashes or spray in enclosed areas.  
Use only in well ventilated areas.

· **Information about fire - and explosion protection:** Keep ignition sources away.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat.  
Store in cool, dry conditions in well sealed receptacles.

#### Information about storage in one common storage facility:

Store away from foodstuffs.  
Store away from oxidising agents.

· **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with limit values that require monitoring at the workplace:

**64742-47-8 Distillates (petroleum), hydrotreated light**

EL (Canada)	Long-term value: 200 mg/m <sup>3</sup> Skin
-------------	--

### 8.2 Exposure controls

#### General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.  
Keep away from foodstuffs, beverages and feed.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes.  
Avoid breathing mist/vapours/spray.  
Avoid close or long term contact with the skin.

#### Respiratory protection:

Not required under normal conditions of use.  
Use suitable respiratory protective device when aerosol or mist is formed.  
NIOSH or EN approved organic vapour respirator equipped with a dust/mist prefilter should be used.

#### Protection of hands:

Gloves not required under normal conditions of use.  
Gloves are advised for repeated or prolonged contact.  
Wear protective gloves to handle contents of damaged or leaking units.

#### For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR  
Neoprene gloves

#### Eye protection:

(Cont'd. on page 5)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 07 June 2018

Revision: 07 March 2024

Trade name: Rust-Buster

(Cont'd. from page 4)



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- **Body protection:** Protection may be required for spills.
- **Limitation and supervision of exposure into the environment:** Avoid release to the environment.
- **Risk management measures:** No further relevant information available.

## SECTION 9: Physical and chemical properties

### · 9.1 Information on basic physical and chemical properties

#### · Appearance

· <b>Form:</b>	Liquid
· <b>Colour:</b>	Colourless
· <b>Odour:</b>	Mild Hydrocarbon.
· <b>Odour threshold:</b>	Not determined.

- |   |                            |
|---|----------------------------|
| · <b>pH-value:</b>                                | Not determined.            |
| · <b>Melting point/freezing point:</b>            | -49 °C (-56,2 °F)          |
| · <b>Initial boiling point and boiling range:</b> | 222,78-245 °C (433-473 °F) |

- |                       |                       |
|-----------------------|-----------------------|
| · <b>Flash point:</b> | 95 °C (203 °F) (PMCC) |
|-----------------------|-----------------------|

- |                                     |                 |
|-------------------------------------|-----------------|
| · <b>Flammability (solid, gas):</b> | Not applicable. |
|-------------------------------------|-----------------|

- |  |                   |
|--|-------------------|
| · <b>Auto/Self-ignition temperature:</b> | >220 °C (>428 °F) |
|--|-------------------|

- |                                     |                 |
|-------------------------------------|-----------------|
| · <b>Decomposition temperature:</b> | Not determined. |
|-------------------------------------|-----------------|

- |                                |   |
|--------------------------------|---|
| · <b>Explosive properties:</b> | Product does not present an explosion hazard. |
|--------------------------------|---|

#### · Explosion limits

· <b>Lower:</b>	0,6 Vol %
· <b>Upper:</b>	5,5 Vol %
· <b>Oxidising properties</b>	Not determined.

- |  |           |
|--|-----------|
| · <b>Vapour pressure at 20 °C (68 °F):</b> | 0,027 kPa |
|--|-----------|

#### · Density:

· <b>Relative density:</b>	0,804
· <b>Vapour density:</b>	4,5 (air = 1)
· <b>Evaporation rate:</b>	0,19 (butyl acetate = 1)

#### · Solubility in / Miscibility with

· <b>water:</b>	1,5 g/l
-----------------	---------

- |  |                 |
|--|-----------------|
| · <b>Partition coefficient: n-octanol/water:</b> | Not determined. |
|--|-----------------|

#### · Viscosity

· <b>Dynamic:</b>	Not determined.
· <b>Kinematic at 40 °C (104 °F):</b>	0,02 cm <sup>2</sup> /s

(Cont'd. on page 6)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 07 June 2018

Revision: 07 March 2024

Trade name: Rust-Buster

(Cont'd. from page 5)

**9.2 Other information**

No further relevant information available.

**SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability** Stable under normal temperatures and pressures.
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions**  
Toxic fumes may be released if heated above the decomposition point.  
Reacts with strong oxidising agents.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials** Oxidisers
- **10.6 Hazardous decomposition products**  
Under fire conditions only:  
Carbon monoxide and carbon dioxide

**SECTION 11: Toxicological information**

- **11.1 Information on toxicological effects**
  - **Acute toxicity:** Based on available data, the classification criteria are not met.
  - **LD/LC50 values relevant for classification:**
- | 64742-47-8 Distillates (petroleum), hydrotreated light |      |                      |
|--|------|----------------------|
| Oral   | LD50 | >5000 mg/kg (rat)    |
| Dermal   | LD50 | >2000 mg/kg (rabbit) |
- **Primary irritant effect**
  - **Skin corrosion/irritation:** Based on available data, the classification criteria are not met.
  - **Serious eye damage/irritation:** Based on available data, the classification criteria are not met.
  - **Respiratory or skin sensitisation:** Based on available data, the classification criteria are not met.

**Carcinogenic categories****IARC (International Agency for Research on Cancer):**

Substance is not listed.

- **Probable routes of exposure:**  
Ingestion.  
Inhalation.  
Eye contact.  
Skin contact.
- **Repeated dose toxicity:** Repeated exposure may cause skin dryness or cracking.
- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
- **Carcinogenicity:** Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.

(Cont'd. on page 7)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 07 June 2018

Revision: 07 March 2024

Trade name: Rust-Buster

(Cont'd. from page 6)

- **Aspiration hazard:**  
May be fatal if swallowed and enters airways.

## SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Avoid release to the environment.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

## SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Contact waste processors for recycling information.  
The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

## SECTION 14: Transport information

- |   |               |
|---|---------------|
| <ul style="list-style-type: none"> <li>· <b>14.1 UN-Number</b></li> <li>· DOT, ADR, IMDG, IATA</li> </ul>                                   | Not Regulated |
| <ul style="list-style-type: none"> <li>· <b>14.2 UN proper shipping name</b></li> <li>· DOT, ADR, IMDG, IATA</li> </ul>                     | Not Regulated |
| <ul style="list-style-type: none"> <li>· <b>14.3 Transport hazard class(es)</b></li> <li>· DOT, ADR, IMDG, IATA</li> <li>· Class</li> </ul> | Not Regulated |
| <ul style="list-style-type: none"> <li>· <b>14.4 Packing group</b></li> <li>· DOT, ADR, IMDG, IATA</li> </ul>                               | Not Regulated |
| <ul style="list-style-type: none"> <li>· <b>14.5 Environmental hazards:</b></li> <li>· Marine pollutant:</li> </ul>                         | No            |

(Cont'd. on page 8)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 07 June 2018

Revision: 07 March 2024

Trade name: Rust-Buster

(Cont'd. from page 7)

· **14.6 Special precautions for user** Not applicable.

· **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable.

## SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- United States (USA)
- SARA

· **Section 355 (extremely hazardous substances):**

Substance is not listed.

· **Section 313 (Specific toxic chemical listings):**

Substance is not listed.

· **TSCA (Toxic Substances Control Act):**

Substance is listed.

· **Proposition 65 (California):**

· **Chemicals known to cause cancer:**

Substance is not listed.

· **Chemicals known to cause developmental toxicity for females:**

Substance is not listed.

· **Chemicals known to cause developmental toxicity for males:**

Substance is not listed.

· **Chemicals known to cause developmental toxicity:**

Substance is not listed.

· **EPA (Environmental Protection Agency)**

Substance is not listed.

· **IARC (International Agency for Research on Cancer)**

Substance is not listed.

· **Canadian Domestic Substances List (DSL) (Substances not listed)**

Substance is listed.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** Substance is not listed.

· **Other regulations, limitations and prohibitive regulations**

· **Substances of very high concern (SVHC) according to REACH, Article 57**

Substance is not listed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

(Cont'd. on page 9)



# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 07 June 2018

Revision: 07 March 2024

**Trade name: Rust-Buster**

(Cont'd. from page 8)

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bio-accumulable, Toxic  
SVHC: Substances of Very High Concern  
vPvB: very Persistent and very Bioaccumulative  
Asp. Tox. 1: Aspiration hazard – Category 1

### · Sources

Website, European Chemicals Agency ([echa.europa.eu](http://echa.europa.eu))  
Website, US EPA Substance Registry Services ([ofmpub.epa.gov/sorinternet/registry/substreg/home/overview/home.do](http://ofmpub.epa.gov/sorinternet/registry/substreg/home/overview/home.do))  
Website, Chemical Abstracts Registry, American Chemical Society ([www.cas.org](http://www.cas.org))  
Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6  
Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaassen, Curtis D., ed., ISBN: 978-0-07-176923-5.  
Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: [www.chemtelinc.com](http://www.chemtelinc.com)